

Michael Bateman, MD
303-388-1945
www.michaelbatemanmd.com

Medications to Avoid

If you are taking any medications on this list, they should be discontinued 2 weeks prior to surgery and only acetaminophen products, such as Tylenol, should be taken for pain. All other medications – prescriptions, over-the-counter and herbal – that you are currently taking must be specifically cleared by your doctor prior to surgery.

Aspirin Medications to Avoid: *Affect blood clotting.*

4-Way Cold Tabs	Cama Arthritis Pain	Kaodene	Phenaphen/Codeine #3
5-Aminosalicylic Acid	Reliever	Lanorinal	Pink Bismuth
Acetilsalicylic Acid	Carisoprodol Compound	Ibuprohm	Piroxicam
Actron	Cataflam	Lodine	Propoxyphene Compound
Adprin-B products	Cheracol	Lortab ASA	products
Aleve	Choline Magnesium	Magan	Robaxisal
Alka-Seltzer products	Trisalicylate	Magnaprin products	Rowasa
Amigesic Argesic-SA	Choline Salicylate	Magnesium Salicylate	Roxeprin
Anacin products	Cope	Magsal	Saleto products
Anexsia w/Codeine	Coricidin	Marnal	Salflex
Arthra-G	Cortisone Medications	Marthritic	Salicylate products
Arthriten products	Damason-P	Mefenamic Acid	Salsalate
Arthritis Foundation	Darvon	Meprobamate	Salsitab
products	Diclofenac	Mesalamine	Scot-Tussin Original 5-
Arthritis Pain Formula	Dipenturn	Methocarbarnol	Action
Arthritis Strength BC	Disalcid	Micrainin	Sine-off
Powder	Doan's products	Mobidin	Sinutab
Arthropan	Dolobid	Mobigesic	Sodium Salicylate
ASA	Dristan	Momentum	Sodol Compound
Asacol	Duragesic	Mono-Gesic	Soma Compound
Ascriptin products	Easprin	Motrin products	St. Joseph Aspirin
Aspergum	Ecotrin products	Naprelan	Sulfasalazine
Asprimox products	Empirin products	Naproxen	Supac
Axotal	Equagesic	Night-Time Effervescent	Suprax
Azdone	Etodolac	Cold	Synalgos-DC
Azulfidine products	Excedrin products	Norgesic products	Talwin
B-A-C	Fiorgen PF	Norwich products	Triaminicin
Backache Maximum	Fiorinal products	Olsalazine	Tricosal
Strength Relief	Flurbiprofen	Orphengesic products	Trilisate
Bayer Products	Gelpirin	Orudis products	Tussanil DH
BC Powder	Genprin	Oxycodone	Tussirex products
Bismatrol products	Gensan	Pabalate products	Ursinus-Inlay
Buffered Aspirin	Goody's Extra Strength	P-A-C	Vanquish
Bufferin products	Headache Powders	Pain Reliever Tabs	Wesprin
Buffetts 11	Halfprin products	Panasal	Willow Bark products
Buffex	IBU	Pentasa	Zorprin
Butal/ASA/Caff	Indomethacin products	Pepto-Bismol	
Butalbital Compound	Isollyl Improved	Percodan products	

Michael Bateman, MD
303-388-1945
www.michaelbatemanmd.com

Medications to Avoid

Ibuprofen Medications to Avoid

Affect blood clotting.

Acular (ophthalmic)	Haltran	Nabumetone	Rhinocaps
Advil products	Indochron E-R	Nalfon products	Sine-Aid products
Anaprox products	Indocin products	Naprosyn products	Sulindac
Ansaid	Ketoprofen	Naprox X	Suprofen
Clinoril	Ketorolac	Nuprin	Tolectin products
Daypro	Ibuprin	Ocufen (ophthalmic)	Tolmetin
Dimetapp Sinus	Ibuprofen	Oruvail	Toradol
Dristan Sinus	Meclofenamate	Oxaprozin	Voltaren
Feldene	Meclomen	Ponstel	
Fenoprofen	Menadol	Profenal	
Genpril	Midol-products	Relafen	

Avoid ALL Diet Aids – Including Over-the-Counter & Herbal

Intensify anesthesia, serious cardiovascular effects.

Tricyclic Antidepressants to Avoid

Intensify anesthesia, cardiovascular effects.

Adapin	Doxepin	Maprotiline	Tofranil
Amitriptyline	Elavil	Norpramin	Triavil
Amoxapine	Endep	Nortriptyline	Trimipramine
Anafranil	Etrafon products	Pamelor	Vivactil
Asendin	Imipramine	Pertofrane	
Aventyl	Janimine	Protriptyline	
Clomipramine	Limbitrol products	Sinequan	
Desipramine	Ludiomil	Surmontil	

Other Medication to Avoid: Affect blood clotting.

4-Way w/ Codeine	Dipyridamole	Macrochantin	Sinex
A.C.A.	Doxycycline	Mellaril	Sofarin
A-A Compound	Emagrin	Miradon	Soltice
Accutrim	Enoxaparin injection	Omega Fatty Acids	Sparine
Actifed	Ephedra	Opasal	Stelazine
Anexsia	Fish Oils	Pan-PAC	Sulfinpyrazone
Anisindione	Flagyl	Pentoxifylline	Tenuate
Anturane	Flax Seed Oil	Persantine	Tenuate Dospan
Arthritis Bufferin	Fleaxaril	Phenylpropanolamine	Thorazine
BC Tablets	Fragmin injection	Prednisone	Ticlid
Childrens Advil	Furadantin	Protarnine	Ticlopidine
Clinoril C	Garlic	Psuedoeohdrine	Trental
Contac	Grape Seed Oil	Pyrroxate	Ursinus
CO-Q-10	Heparin	Qualfanzen	Virbamycin
Coumadin	Hydrocortisone	Robaxin	Warfarin
Dalteparin injection	Isollyl	RobitussionRu-Tuss	
Dicumerol	Lovenox injection	Salatin	

Michael Bateman, MD
303-388-1945
www.michaelbatemanmd.com

Medications to Avoid

Salicylate Medications, Foods & Beverages to Avoid

Affect blood clotting.

Amigesic (salsalate)	Magsal	Pepto-Bismol (bismuth subsalicylate)	Trilisate (choline salicylate + magnesium salicylate)
Disalcid (salsalate)	Pamprin (Maximum Pain Relief)	Salflex (salsalate)	
Doan's (magnesium salicylate)	Mobigesic	Salsalate	
Dolobid (diflunisal)	Pabalate	Salsitab (salsalate)	

Vitamins and Herbs to Avoid

Affect blood clotting, affect blood sugar, increase or decrease the strength of anesthesia, rapid heartbeat, high blood pressure, liver damage. Note: Just because it is not of this list does not mean that it is safe to take while preparing for surgery.

Ackee fruit	Devil's club	Goldenseal	Muwort
Alfalfa	Dong Quai root	Gotu Kola	Nem seed oil
Aloe	Echinacea	Grape seed	Periwinkle
Argimomy	Ephedra	Guarana	Selenium
Barley	Eucalyptus	Guayusa	St. John's Wort
Bilberry	Fenugreek seeds	Hawthorn	Valerian/Valerian Root
Bitter melon	Feverfew	Horse Chestnut	"The natural Viagra®"
Burdock root	Fo-ti	Juniper	Vitamin E
Carrot oil	Garlic and Garlique	Kava Kava	Vitamin K
Cayenne	Ginger	Lavender	Willow bark
Chamomile	Gingko	Lemon verbena	Yellow root
Chromium	Gingko biloba	Licorice root	Yohimbe
Coriander	Ginseng	Ma Huang	
Dandelion root	Gmena	Melatonin	

If you are taking anything not on this list, please call the office at 303-388-1945 to notify us and make sure that it is okay.